


In the Claims:

1. (Withdrawn) A compound of Formula I:




Formula I

or a pharmaceutically acceptable salt thereof,

wherein R is substituted or unsubstituted aryl, heteroaryl, cycloalkyl, heterocyclic, alkoxy, cycloalkoxy, aryloxy, heteroaryloxy, alkylamino, cycloalkylamino, arylamino, heteroarylamino; or

R is



wherein X' and X'' are each independently hydrogen, hydroxy or fluoro, provided when one of X' and X'' is fluoro, the other is not hydroxy; or

X' and X'' together form an oxo group,

Z is selected from the group consisting of alkyl, nitrogen, oxygen, sulfur and a bond covalently linking R₁ to -CX'X''-

R₁ is selected from the group consisting of hydrogen, substituted or unsubstituted alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, and heterocyclic;

R₂ is selected from the group consisting of hydrogen, C₁-C₄ alkyl, -COOR_{2a}, and -COR_{2a} wherein R_{2a} is hydrogen, C₁₋₄alkyl, cycloalkyl, or heterocycle;

R_3 is H, substituted or unsubstituted, linear-, branched- or alkyl, cycloalkyl, or substituted or unsubstituted phenyl;

R_5 is $-Y-R_6$, wherein Y is substituted or unsubstituted alkyl, alkenyl, aryl, cycloalkyl, cycloalkenyl, heteroaryl, heterocyclic, or a bond; and


R_6 is substituted or unsubstituted aryl, heteroaryl, cycloalkyl, heterocycle, heterocycloalkyl, aryloxy, heteroaryl N-oxide, or arylsulfide;

provided when Y is a bond, then either R_6 is cycloalkyl, or R_2 is alkylalkoxy or alkylthioalkoxy.

2. (Withdrawn) The compound of Claim 1, wherein $R = -CR_1X'X''$, X' is H or OH, X'' is H, and R_1 is aryl or substituted aryl.

3. (Currently Amended) The compound of Claim ~~[[1]]~~ 4, wherein R_3 is H ~~or t-butyl~~.

4. (Previously Presented) A compound of Formula II:




Formula II

wherein R_1 is aryl, or substituted aryl; X' is H or OH; R_2 is CH_3 , R_3 is H, or t-butyl; R_7 is aryl, substituted aryl, or U-aryl, wherein U is O or CH_2 ; and R_8 and R_9 are independently H, or alkyl.

5. (Currently Amend) A pharmaceutical formulation comprising the compound according to Claim ~~[[1]]~~ 4 and a pharmaceutically acceptable carrier.

6. (Withdrawn-Currently Amended) A method for inhibiting β -amyloid peptide release or synthesis in a cell comprising administering to said cell a compound according to Claim [[1]] 4, in an amount effective in inhibiting the cellular release and/or synthesis of β -amyloid peptide.
7. (Withdrawn-Currently Amended) A method for inhibiting γ -secretase activity comprising administering to a host an effective amount of the compound according to Claim [[1]] 4.
8. (Withdrawn-Currently Amended) A method for treating or preventing a neurological disorder associated with β -amyloid peptide production comprising administering to a host a pharmaceutical formulation comprising a therapeutically effective amount of the compound according to Claim [[1]] 4.
9. (Withdrawn) The method according to Claim 8, wherein said neurological disorder is Alzheimer's disease.
10. (Withdrawn) The compound of Claim 3, wherein R_2 is methyl.
11. (Withdrawn) The compound of Claim 10, wherein Y is $-\text{CH}_2-\text{CH}_2-$; $\text{CH}_3-\text{CH}<$; $-\text{CH}(\text{CH}_3)-$; $-\text{C}(\text{CH}_3)_2\text{CH}_2-$; $\text{CH}_3-\text{CH}(\text{phenyl})<$; $>\text{CH}(\text{phenyl})$; or $-\text{CH}=\text{CH}-$.
12. (Currently Amended) The compound of Claim [[2]] 4, wherein R_1 is 3,5-difluorophenyl.
13. (Previously Presented) A compound of Formula II:




Formula II

wherein R_1 is aryl or heteroaryl, cycloalkyl, or heterocycle, optionally substituted with one or more of $-F$, $-Cl$, $-Br$, $-OH$, $-CF_3$, C_{1-6} alkyl; C_{1-3} alkoxy and methylenedioxy, X' is H or $-OH$; R_3 is H , or t -butyl; R_7 is aryl or U -aryl optionally substituted with one or more groups consisting of C_{1-6} alkyl, chloro, fluoro, bromo, $-NO_2$, C_{1-3} alkoxy, $-CF_3$, $-N(R_{7a})_2$, $C(O)R_{7a}$, $C(O)N(R_{7a})_2$, and $-NHC(O)R_{7a}$, wherein each R_{7a} is independently chosen from H and C_{1-6} alkyl, U is O , $-CH_2-$ or S ; and R_8 and R_9 are each independently C_{1-6} alkyl.

14. (Previously Presented) The compound of Claim 13, wherein R_3 is H and R_8 and R_9 are both methyl.

15. (Previously Presented) The compound of Claim 13, wherein R_1 is 3,5-difluorophenyl and X' is hydroxyl.

16. (Withdrawn) A compound of Formula III



wherein R_1 is aryl, heteroaryl, cycloalkyl or heterocycle optionally substituted with one or more of $-F$, $-Cl$, $-Br$, $-OH$, $-CF_3$, C_{1-6} alkyl; C_{1-3} alkoxy and methylenedioxy, X' is H or $-OH$; R_3 is H , or t -butyl; R_7 is aryl, heteroaryl, cycloalkyl or heterocycle optionally substituted with one or more groups consisting of C_{1-6} alkyl, chloro, fluoro, bromo, $-NO_2$, C_{1-3} alkoxy, $-CF_3$, $-N(R_{7a})_2$, $C(O)R_{7a}$ and $-C(O)N(R_{7a})_2$, $-NHC(O)R_{7a}$, wherein each R_{7a} is independently chosen from H and C_{1-6} alkyl, and ring A is a cycloalkyl ring having 3 to 10 carbon atoms or is a heterocycle having 5 to 7 atoms chosen from carbon, nitrogen, oxygen and sulfur, and is optionally substituted with at least one of C_{1-6} alkyl or C_{3-10} cycloalkyl.

17. (Withdrawn) The compound of Claim 16, wherein ring A is optionally substituted cyclopropyl, cyclopentyl, cyclohexyl, piperidinyl, pyrrolidinyl, furanyl, or pyranlyl.

18. (Currently Amended) The compound of Claim ~~[[17]]~~ 13, wherein R₃ is H, R₁ is 3,5-difluorophenyl and X' is hydroxyl.

19. (Previously Presented) The compound of Claim 13, wherein R₇ is aryl optionally substituted with one or more groups consisting of C₁₋₆ alkyl, chloro, fluoro, bromo, -NO₂, C₁₋₃ alkoxy, -CF₃, -N(R_{7a})₂, C(O)R_{7a} and -C(O)N(R_{7a})₂, -NHC(O)R_{7a}, wherein each R_{7a} is independently chosen from H and C₁₋₆ alkyl.

20. (Previously Presented) The compound of Claim 1 chosen from the group consisting of: N-[2-*tert*-butyl-5-(1-methyl-4-phenylpiperidin-4-yl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluorophenyl)-2-hydroxyacetyl-amino]propionamide, 2-[2-(3,5-difluorophenyl)-2-hydroxyacetyl-amino]-N-[5-(1-methyl-4-phenylpiperidin-4-yl)-2H-pyrazol-3-yl]propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-cyclopropyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-cyclopentyl)-2H-pyrazol-3-yl]-propionamide, N-{5-[1-(4-chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-{5-[1-(4-nitro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1,1-diphenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-(5-styryl-2H-pyrazol-3-yl)-propionamide, N-{5-[1-(4-Amino-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-{5-[1-(4-Acetyl-amino-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-fluoro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(4-chloro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-phenyl-cyclohexyl)-

2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(2-fluoro-phenyl)-cyclopentyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(2-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-dimethyl-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(2,4-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-[5-(2-methyl-2-phenyl-propyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(4-trifluoromethyl-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, Pyridine-2-carboxylic acid (1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-amide, Isoquinoline-1-carboxylic acid (1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-amide, 3-Methyl-N-{1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, N-{1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(4-dimethylamino-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-(2-Dimethylamino-acetylamino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 1,2,3,4-Tetrahydro-isoquinoline-3-carboxylic acid {1-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-amide, N-{5-[1-(4-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-methylamino-acetylamino)-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2(S)-hydroxy-acetylamino]-N-[5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2(R)-hydroxy-acetylamino]-N-[5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, N-{1-[5-(1,1-Dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-2-hydroxy-3-methyl-butylamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-hydroxy-3-methyl-butylamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-[5-(4-phenyl-tetrahydro-pyran-4-yl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-Chloro-N-(1-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-benzamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-trifluoromethyl-benzamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(2-trifluoromethyl-phenyl)-acetylamino]-propionamide, 2-[2-(4-tert-Butyl-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-

1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(4-tert-Butyl-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3-Chloro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-p-tolyl-acetylamino)-propionamide, 2-[2-(4-Chloro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(4-methoxy-phenyl)-acetylamino]-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-hydroxy-2-(4-trifluoromethyl-phenyl)-acetylamino]-propionamide, 2-[2-(2-Chloro-phenyl)-2-hydroxy-acetylamino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(4-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-cyclohexylamino)-propionamide, N-(1-{5-[1-(4-Fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-2-hydroxy-3-methyl-butyramide, N-{2-tert-Butyl-5-[1-(4-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, {1-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-carbamic acid tert-butyl ester, N-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-yl]-2-phenylacetylamino-propionamide, N-{1-[2-tert-Butyl-5-(1,1-dimethyl-2-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-ethyl}-butyramide, N-[2-tert-Butyl-5-(4-phenyl-tetrahydro-pyran-4-yl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-(1-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-3-trifluoromethyl-benzamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(4-tert-butyl-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3-chloro-phenyl)-2-hydroxy-acetylamino]-propionamide, 2-(2-Cyclohexyl-2-hydroxy-acetylamino)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(4-fluoro-phenyl)-2-hydroxy-acetylamino]-propionamide, N-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-

2H-pyrazol-3-yl]-2-(2-hydroxy-2-phenyl-acetyl-amino)-propionamide, 2-(2-Hydroxy-2-phenyl-acetyl-amino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-(2-Cyclohexyl-2-hydroxy-acetyl-amino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, [2-(3,5-Difluoro-phenyl)-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-(2-Cyclohexyl-acetyl-amino)-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, N-(1-{5-[1-(3,5-Difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-ylcarbamoyl}-ethyl)-3-methyl-3-phenyl-butyramide, (2-Benzo[1,3]dioxol-5-yl-acetyl-amino)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(4-Chloro-phenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(2,3-Difluoro-phenyl)-2-hydroxy-acetyl-amino]-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Dimethoxy-phenyl)-acetyl-amino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2-(3,5-Bis-trifluoromethyl-phenyl)-acetyl-amino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, 2-(2-Benzo[1,3]dioxol-5-yl-acetyl-amino)-N-{2-tert-butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-hydroxy-2-(4-trifluoromethyl-phenyl)-acetyl-amino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-acetyl-amino]-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(4-chloro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-cyclohexyl-acetyl-amino)-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(2,3-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, N-{2-tert-Butyl-5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-(2-hydroxy-2-phenyl-acetyl-amino)-propionamide N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-hydroxy-2-phenyl-acetyl-amino)-propionamide, N-[2-tert-Butyl-5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-2-(2-cyclohexyl-2-hydroxy-acetyl-amino)-propionamide, N-(5-Cyclopentyl-2H-pyrazol-3-yl)-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl-amino]-propionamide, 2-[2-(3,5-Difluorophenyl)-2-hydroxy-acetyl-amino]-N-[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-yl]-propionamide, (2S)-2-(3,4-Dichlorophenyl-amino)-N-{5-[1-(3,5-difluorophenyl)-1-methylethyl]-2H-pyrazol-3-yl}-propionamide, 2-(3,5-Difluoro-phenyl)-2-hydroxy-N-{[5-(1-methyl-1-phenyl-ethyl)-2H-pyrazol-3-ylcarbamoyl]-thiophen-2-yl-methyl}-acetamide, N-[5-(1-Cyclopropyl-4-phenylpiperidin-4-yl)-2H-pyrazol-3-yl]-2-[2'-(3,5-

difluorophenyl)-2'-hydroxylacetyl amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl amino]-N-[5-(1-methyl-1-pyridin-3-yl-ethyl)-2H-pyrazol-3-yl]-propionamide, N-{5-[1-(3-Chloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl amino]-N-{5-[1-(3,4-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl amino]-N-{5-[1-(3-fluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl amino]-N-{5-[1-methyl-1-(3-trifluoromethyl-phenyl)-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(3,4-Dichloro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl amino]-propionamide, 2-[2-(3,5-Difluoro-phenyl)-2-hydroxy-acetyl amino]-N-{5-[1-(3-methoxy-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide, N-{5-[1-(4-Chlorophenylsulfanyl)-1-methylethyl]-2H-pyrazol-3-yl}-2-[2-(3,5-difluorophenyl)-2-hydroxyacetyl amino]-propionamide, 2-[1-hydroxy-3-methyl-N-{1-[5-(1-methyl-1-phenylethyl)-2H-pyrazol-3-yl] carbamoyl] ethyl}-butyramide, 2-Acetyl amino-N-[5-(1,1-dimethyl-2-phenylethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-oxo-acetyl amino]-N-[5-(1-methyl-4-phenylethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-hydroxyacetyl amino]-N-[5-(1-methyl-1-phenylethyl)-2H-pyrazol-3-yl]-propionamide, 2-[2'-(3,5-Difluorophenyl)-2'-hydroxyacetyl amino]-N-[5-[1-2,3-difluorophenyl)-1-methylethyl]-2H-pyrazol-3-yl]-propionamide, N-[5-(1-Cyclohexyl-1-methyl-ethyl)-2H-pyrazol-3-yl]-2-[2-(3,5-difluoro-phenyl)-2-hydroxy-acetyl amino]-propionamide, 2-(3-Butyl-ureido)-N-{5-[1-(3,5-difluoro-phenyl)-1-methyl-ethyl]-2H-pyrazol-3-yl}-propionamide and 2-(3,4-Dichlorophenyl amino)-N-{5-[1-(3,5-difluorophenyl)-1-methylethyl]-2H-pyrazol-3-yl}-propionamide.